## SolidWorks Simulation Product Matrix

	SOLIDWORKS PREMIUM	SOLIDWORKS SIMULATION PROFESSIONAL	SOLIDWORKS SIMULATION PREMIUM	SOLIDWORKS FLOW SIMULATION	SOLIDWORKS FLOW SIMULATION with the HVAC Applications module	SOLIDWORKS FLOW SIMULATION with the Electronic Cooling module
Linear static Simulation for Assembly						
Tooltip: Test the performance of assembly in terms of stress, strain, displacements or Factor of safety. Compare product behavior under static loads to determine critical uses cases and to ensure adequate design strength						
Time Based Mechanism Simulation						
Tooltip: Test the motion of assembly under time based real-world operating conditions. Visualize the calculated force, velocity, accelerations during the assembly motion to ensure adequate behavior of product. Use results as a loading for a structural assembly simulation.						
Event-Based Motion Simulation						
Tooltip: Test the motion of assembly with a simulation based on process not time. Actions can be triggered by the completion of a previous task, on time or the activation of a new motion sensor.						
Design comparison with parametric Simulation						
Tooltip: Determine the best design option by comparing strengths, design life and weight for SolidWorks Simulation or by comparing fluid flow results for SolidWorks Flow Simulation						
Design optimization Simulation						
Tooltip: Optimize the design by automatically modifying parametric model geometry to seek a design goal						



	SOLIDWORKS PREMIUM	SOLIDWORKS SIMULATION PROFESSIONAL	SOLIDWORKS SIMULATION PREMIUM	SOLIDWORKS FLOW SIMULATION	SOLIDWORKS FLOW SIMULATION with the HVAC Applications module	SOLIDWORKS FLOW SIMULATION with the Electronic Cooling module
Frequency Simulation						
Tooltip: Predict and control products natural modes of vibration (frequencies) to avoid potential damaging resonant frequencies. Study the effects of both loads and material choices on product performance						
Buckling or Collapse Simulation						
Tooltip: Determine the effect of forces, pressures, gravity and centrifugal loads on thin and slender components maximum buckling strength. Study the effects of material choices on product performance			-			
Thermal Simulation						
Tooltip: Study the impact of thermal loads on designs. Compare temperatures, temperature gradients, and heat flow based on heat generation, conduction, convection, and radiation conditions to ensure the best design option and avoid undesirable thermal conditions like overheating.						
Pressure Vessel Design Simulation						
Tooltip: Test the performance of Pressure Vessel designs combining the results of static studies with the desired factors.						
Drop Test Simulation						
Tooltip: Test the performance of a product dropped on a rigid or flexible floor. Define drop height, surface type and orientation to reduce the number of physical prototypes with the virtual drop test simulation.						
Fatigue Simulation						
Tooltip: Evaluate the consumed life of a design submitted to repeated loading (phenomenon known as fatigue). Consider cycles of stress fluctuation which weaken products to ensure adequate design quality						



	SOLIDWORKS PREMIUM	SOLIDWORKS SIMULATION PROFESSIONAL	SOLIDWORKS SIMULATION PREMIUM	SOLIDWORKS FLOW SIMULATION	SOLIDWORKS FLOW SIMULATION with the HVAC Applications module	SOLIDWORKS FLOW SIMULATION with the Electronic Cooling module
Submodeling Simulation Tooltip: Analyse the structural performance of critical parts within an assembly with Submodeling Principles. Focus the simulation on a group of bodies in a larger assembly structural analysis by refining the properties of those bodies and ensure a precise performance simulation.						
Plastic and Rubber Components Simulation Tooltip: Capture the real world behavior of your plastic and rubber parts. Compare the impact of different non linear material choices on design performance. Reduce material costs while still ensuring overall product compliance						
Large Displacement Structural Simulation Tooltip: Test product performance taking into account geometrical non linearities, large displacements effect on the overall geometric configuration of the structure.						
Plastic Deformation And Residual Stresses Simulation Tooltip: Predict and control residual stresses and deformation for non linear material models						
Composites Components Simulation Tooltip: Investigate the application and performance of composite materials to design. Compare strenght, weight and life or product made of composites						
Forced Vibrations Simulation Tooltip: Predict and control vibrations or dynamic responses of products. Determine maximum load cases using a choice of integrated studies, including Transient, Harmonic response, Random Response and Response Spectrum Analysis						



	SOLIDWORKS PREMIUM	SOLIDWORKS SIMULATION PROFESSIONAL	SOLIDWORKS SIMULATION PREMIUM	SOLIDWORKS FLOW SIMULATION	SOLIDWORKS FLOW SIMULATION with the HVAC Applications module	SOLIDWORKS FLOW SIMULATION with the Electronic Cooling module
Nonlinear Dynamics Tooltip: Test the performance of products under real world conditions coupling non linear assumptions (displacement, buckling, material) with dynamic response analysis.						
Fluid Flow Simulation Tooltip: Study the flow of liquids (including non Newtonian liquids such as toothpaste, slurry and blood) and gasses inside and around designs, with or without thermal effects. Test the performance of electronic components, cooling systems, valves and regulators, drug delivery systems submitted to fluid flow.						
Comfort Parameters Simulation Tooltip: Predict the general thermal sensation, degree of discomfort (thermal dissatisfaction) of people in a given environment and estimate air quality by calculating comfort criteria.						
Advanced Radiation Simulation Tooltip: Study the impact of thermal loads, in particular based on radiation, on designs containing semi transparent materials such as glass.						
Electronic Cooling Simulation Tooltip: Test and improve the thermal performance of your PCBs and electronic components with dedicated electronic cooling tools such as two-resistor component compact module or heat pipe compact module.						

